

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/23/2010 00:46:29 Assist invalid  
Colton AV

Units dispatched to a reported public assistance. Units arrived to find a person who had fallen and needed assistance from the floor. Person denied any injury.

For further information refer to master #100143.

---

08/23/2010 09:02:13 Dispatched & cancelled en route

Unit dispatched, automatic aid to Sacramento Metro Fire, to noted location for a vehicle accident. While enroute, Fire Dispatch advised that per CHP that this was a non-injury accident and we could cancel. Call was shut off.

---

08/23/2010 10:07:21 Lock-out  
Holly Glen WY

Units dispatched for a reported lock out. Engine 74 arrived to find a small child locked in a vehicle. Access was made to vehicle and there was no medical need.

---

08/23/2010 18:00:46 Dispatched & cancelled en route  
Renwick AV

Units dispatched for a reported medical alarm. Units cancelled en route by fire dispatch due to false alarm

---

08/23/2010 20:18:05 HazMat release investigation w/no HazMat  
Elk Grove BL

Engine 72 responded to a reported gas leak. On arrival Engine 72 check all businesses and found slight smell coming from an open sewer clean-out. Engine 72 replaced the cap and informed the business of the findings.

---

# CSD Fire Department

## Media Summary

### All Applicable Records

---

08/23/2010 21:12:02 No Incident found on arrival at dispatch address  
Elk Grove BL  
Laguna Lake WY

Dispatched to check a odor of smoke, engine 74 arrived in the area of two burnt structures from the July 4th 2010 fire. Engine 74 checked the area with a thermal imaging camera and then returned to service,

---

08/24/2010 07:04:55 Unintentional transmission of alarm, Other  
Taron DR

Units were dispatched for a reported fire alarm activation at Elliot Ranch Elementary School. Engine 75 arrived at the scene to find a maintenance worker in the parking lot stating that it was a false alarm. Engine 75 attempted to confirm a reset with the alarm company through fire dispatch, but dispatch stated that the alarm was still active. Personnel from Engine 75 went to the alarm panel to investigate and the panel in the office read "all systems normal". The maintenance worker advised us that he would call and have the alarm technician come out to see why the alarm company was not getting a reset. All units were then placed back into service and returned to quarters.

---

08/24/2010 10:12:24 Detector activation, no fire - unintentional  
Franklin High RD

Engine 72 and Engine 74 responded to an internal alarm. On arrival Engine 72 checked the building with the sensor activation. Building was clear and Engine 72 cancelled Engine 74. Engine 72 checked the attic with thermal imaging camera and reset the alarm system. School maintenance stated they would contact the alarm company to have the system checked.

---

08/24/2010 13:25:50 Person in distress, Other  
Fairway DR

Engine and Medic 45 were dispatched to a reported medical aid. The units arrived to find a person without a medical complaint. The units cleared the call and went back in service..

# CSD Fire Department

## Media Summary

### All Applicable Records

---

08/24/2010 13:53:58 False alarm or false call, Other  
Laguna BL

Engine 74 dispatched for a reported internal alarm. Arrived to find a single story grocery store with nothing visible or audible. Upon entering store, there was an alarm pad showing trouble alarm, but not fire alarm. Manager stated the trouble alarm was due to a down phone line. Manager to handle alarm, scene cleared.

---

08/24/2010 15:11:19 Alarm system sounded due to malfunction  
Twin Cities RD

Units responded for a general fire alarm. Arrived to find an alarm at the alarm panel for a OS&Y tamper switch and no fire. The alarm was silenced and attempted to be reset. The alarm was not able to be reset. OS&Y inspected and we attempted to fix the tamper switch. Alarm again attempted to be reset and could not be. Alarm company and responsible contacted and advised that they need to have an alarm tech come out and fix the system. Alarm left in silence mode and unit returned to quarters.

---

08/24/2010 17:58:52 Special type of incident, Other  
Laguna Pointe WY

Engine 74 dispatched for a reported swimming pool pump fire. Arrived to find a line from the air conditioner was leaking Freon. Homeowner turned off the air conditioner and advised to contact a heating and air person to fix problem. No signs of fire.

---

08/24/2010 18:18:05 Gas leak (natural gas or LPG)  
Elk Grove BL  
Webb ST

Engine 73 responded for an odor of natural gas in the area of Elk Grove/Webb. Engine 73 arrived to find an intermittent odor coming from a manhole cover. PG&E arrived and sampled the air around the manhole cover and detected a minimal amount of methane possibly from the sewer. PG&E would remain on the scene for further testing of the air. No further service by the fire department.

# CSD Fire Department

## Media Summary

### All Applicable Records

---

08/24/2010 23:14:00 Passenger vehicle fire  
Nb I5 No Hood

Engine 75 was dispatched for a reported vehicle that was on fire with a camper attached. Arrived to find a large SUV with its transmission on fire. Personnel quickly extinguished the fire using the front bumper line off of the engine. CHP arrived on scene and contacted a tow service to come for the vehicle and trailer. After getting the pertinent information from the driver of the vehicle, fire personnel were released from the scene and returned to quarters. CHP remained on scene with the driver of the vehicle awaiting the tow.

---

08/25/2010 00:45:16 Building fire  
Liscarney WY

Units dispatched for a report of a structure fire. Units arrived to find two well involved structures on fire next to each other. Units were assigned to fire attack. Units attacked the fires using small and large diameter hose lines and aerial master streams. The fires were eventually extinguished and units went back into service.

---

08/25/2010 00:48:15 Smoke detector activation, no fire - unintentional  
Osprey Point CI

Engine 75 was dispatched to a residence to assist a citizen with their smoke detectors. Arrived to find all of the detectors in the home sounding. Fire personnel found two faulty detectors in the house. The occupant was advised to have these two detectors replaced and she said she would take care of it the following day. After making sure nobody was sleeping in the bedrooms with the bad detectors Engine 75 was placed back into service and returned to quarters.

---

08/25/2010 10:35:44 Passenger vehicle fire  
Marengo RD  
Simmerhorn RD

Fire personnel arrived to find a fully involved vehicle fire. The fire was extinguished using tank water.

# CSD Fire Department

## Media Summary

### All Applicable Records

---

08/25/2010 12:36:50 Sprinkler activation, no fire - unintentional  
Elk Grove BL

Units dispatched to a reported waterflow alarm in a commercial building. Arrived to find a one story commercial building with a exterior sprinkler head activated under an awning on the A-side of the building. Unit investigated and determined the sprinkler head malfunctioned and activated with no cause by fire. Unit secured the system and replaced the sprinkler head with an available head from the fire alarm room. The sprinkler system was recharged but personnel were unable to reset the alarm system. The property managers were advised of our units actions and instructed to have the system serviced.

---

08/25/2010 13:46:01 Brush or brush-and-grass mixture fire  
Dierks RD

G73, G71 and WT71 were dispatched to assist B9 units with a grassfire. Cosumnes units assisted in fire suppression and were released by B9. All units went available.

---

08/25/2010 15:09:33 Unauthorized burning  
Club Park DR  
Riparian DR

Unit dispatched to a reported arson attempt. Unit arrived to find a park picnic table and a plastic object with burn damage from an arson attempt. Arson 71 was contacted and evidence was collected from the scene. The incident is currently under investigation.

---

08/25/2010 19:05:03 Dispatched & cancelled en route  
Adobe Spring WY

E74 AND M74 RESPONDED TO A REPORTED MEDICAL AID BUT WERE CANCELLED EN ROUTE.

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/25/2010 22:18:36 Dispatched & cancelled en route  
Porto Vista CT

Crews responded to a reported internal alarm residential. Per dispatch, the alarm company reported false alarm, no fire and requested cancel. E73 cancelled just as it arrived on scene.

---

08/25/2010 22:46:38 System malfunction, Other  
Elk Grove BL

Units responded to a fire alarm at a school. E71 arrived and met with staff that stated the alarm just went off. There were no signs of fire in the zone indicated. School police contacted an alarm technician and waited on scene. Units went available.

---

08/26/2010 00:07:36 Dispatched & cancelled en route  
Four Winds DR

UNITS RESPONDED TO A REPORTED MEDICAL EMERGENCY. PRIOR TO ARRIVAL WE WERE CANCELLED BY FIRE DISPATCH. NO PATIENT CONTACT WAS MADE.

---

08/26/2010 06:26:55 Dispatched & cancelled en route  
Christo WY

E 72 AND M72 WERE DISPATCHED TO A REPORTED MEDICAL AID. ALL UNITS WERE CANCELED ENROUTE BY DISPATCH.

---

08/26/2010 06:54:07 Public service  
Bradbury CT

ENGINE 76 RESPONDS TO A PRIVATE RESIDENCE FOR AN SMOKE DETECTOR SOUNDING WITH NO SIGNS OF FIRE OR SMOKE. RESPONSABLE PARTY UNABLE TO RESTORE ALARM.

---

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/26/2010 11:46:32 Dispatched & cancelled en route  
Hwy160

M 72 WAS DISPATCHED TO A REPORTED MEDICAL AID WITH BATALLION 91. M72 WAS CANCELED ENROUTE. M72 AOR.

---

08/26/2010 15:39:05 Dispatched & cancelled en route  
Auberry DR  
Calvine RD

ENGINE76 AND MEDIC 51 RESPOND TO A VIOLENT CRIME ASSAULT WITH SACRAMENTO SHERRIFFS ONSCENE. MEDIC 51 ARRIVED ONSCENE FIRST AND CANCELLED ENGINE 76.

---

08/26/2010 16:11:40 Dispatched & cancelled en route  
Ehrhardt AV

MULTIPLE UNITS DISPATCHED FOR A COMMERCIAL FIRE ALARM. SACRAMENTO POLICE ONSCENE STATE ALARM CAUSED BY COOKING. ALARM COMPANY CANCELLED INCOMING UNITS PER FIRE DISPATCH.

---

08/26/2010 17:52:14 Good intent call, Other  
Villa Rosa WY

E74 AND M74 RESPONDED TO A REPORTED MEDICAL AID. UPON ARRIVAL AT THE RESIDENCE THERE WAS NO ANSWER AT THE DOOR. E74 MADE ACCESS TO THE RESIDENCE AND DETERMINED THAT THERE WAS NOBODY AT THE RESIDENCE. THE RESIDENCE WAS RETURNED TO ITS ORIGINAL STATE AND BOTH UNITS RETURNED TO SERVICE.

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/26/2010 19:05:43 False alarm or false call, Other  
Gypsy Star WY

E73 RESPONDED TO AN INTERNAL ALARM, RESIDENTIAL. E73 RECEIVED A CANCELLATION FROM FIRE DISPATCH PRIOR TO LEAVING THE STATION. THE CORRECT CODE WAS GIVEN. E73 AOR

---

08/26/2010 19:30:07 Grass fire  
Twin Cities RD

UNITS RESPONDED TO A REPORTED GRASS FIRE. ON ARRIVAL GRASS 46 FOUND A SMALL ROADSIDE GRASS FIRE THAT WAS EXTINGUISHED USING TANK WATER. THE FIRE APPEARS TO HAVE BEEN CAUSED FROM AN ELECTRICAL BREAKER DISCONNECT ON TWO POWER POLES. ADVISED TO CONTACT UTILITY COMPANY FOR REPAIR WITH SURFACE CHARRING ONLY ON ONE POLE.

---

08/26/2010 19:43:00 Grass fire  
Hood Franklin RD

Units dispatched mutual aid to Courtland Fire District. Watertender and Grass 71 were cancelled on arrival. Grass 75 assisted in control of a one acre grass fire.

---

08/26/2010 20:28:34 Grass fire  
Dever CI

BC10, G71, G73, AND G76 RESPONDED TO A GRASS FIRE ON THE UNION PACIFIC RAILROAD TRACK EASEMENT. UNITS ARRIVED TO FIND A 1/4 ACRE FIRE WITH NO EXPOSURES. G71 AND G76 INITIATED EXTINGUISHMENT. G73 SUPPLIED THE UNITS WITH WATER VIA A BACK YARD ACCESS ADDRESSED ON DEVER CIRCLE. BC10 WAS I.C.. THE FINAL ACREAGE BURNED WAS APPROXIMATELY 3/4 ACRE.

---

08/26/2010 23:32:14 Dispatched & cancelled en route  
Valley Lark DR

M74 DISPATCHED AUTOMATIC AID WITH SACRAMENTO CITY FIRE TRUCK 7 TO A REPORTED MEDICAL AID. UNIT WAS CANCELLED EN ROUTE BY PD. FOR FURTHER INFORMATION REFER TO INCIDENT #102103.

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/27/2010 08:15:44 Natural vegetation fire, Other  
Aizenberg CI

Engine and Grass 71 were dispatched to a reported smoke investigation. Engine and Grass 71 arrived on scene to find a smoldering stump that was a result of a grass fire from the previous day. Engine 71 crew fully extinguished the smoldering log and returned to quarters.

---

08/27/2010 09:16:38 Lock-out  
Shasta Lily DR

Engine 76 responded for child locked in a vehicle at 8565 Shasta Lily Drive. A Tow truck operator arrived with Engine 76 and opened the vehicle. No further service by the fire department.

---

08/27/2010 11:20:46 Dispatched & cancelled en route  
Lotz PW

Units were dispatched to a reported internal alarm at a commercial structure. Both units were cancelled en route by the alarm company.

---

08/27/2010 14:35:35 Grass fire  
I5 NB  
ELK GROVE BL

UNITS DISPATCHED FOR A GRASS FIRE ON THE SHOULDER OF I-5 NB. ARRIVED TO A SMALL GRASS FIRE JUST NORTH OF HOOD FRANKLIN ROAD. I CANCELLED INCOMING UNITS AND EXTINGUISHED THE FIRE. BURNED AREA APPROXIMATELY 100' X 30'. NO OBVIOUS IGNITION MATERIALS NOTICED AT SCENE.

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/27/2010 16:42:06 Assist invalid  
Summit Lakes WY

Engine 46 arrived to find a person in need of assistance. Person was assisted to bed and left in care of family.

---

08/27/2010 19:01:39 Chemical hazard (no spill or leak)  
Roan Ranch CI

E73 WAS DISPATCHED FOR A REPORTED MEDICAL AID WITH M50 . UPON ARRIVAL PATIENT WAS ASSESSED, TREATED AND TRANSPORTED .  
FOR MORE INFORMATION REFER TO PATIENT CARE REPORT .

---

08/27/2010 22:52:34 Grass fire  
Shasta Lily DR

On 8-27-10, G76, G71, E51 and BC10 responded to a reported grass fire. G76 on scene to find a small grass fire in an open field. Fire was contained by G76 crew using hose line and approx 100 gal of water. Unable to determine cause of fire. 100% mop up using approx 400 gal of water. Fire area approx 100' x 50'. G76 returned to service.

---

08/27/2010 23:34:34 EMS call, party transported by non-fire agency  
Pine ST

Units dispatched to a reported medical aid at a local gas station. On arrival, person in question did not exhibit illness symptoms and did not require any medical care.

---

08/28/2010 00:35:09 Building fire  
Goldenleaf WY

Dispatched to a reported Structure Fire in a residence, Engine 73 arrived and was assigned to supply Engine 50 and put an exposure line in place on the delta side of the building. Engine 73 was later reassigned to fire attack on the Charlie delta side. M73 arrived and was assigned as "Two-out" but were quickly reassigned as a back-up line to fire attack and later reassigned to Engine 73 on the Charlie Delta. Both units remained on scene for approximately 2.5 hours.

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/28/2010 04:07:36 Unintentional transmission of alarm, Other  
Almondwillow WY

Dispatched to a reported Internal Alarm in a residence. Engine 73 was canceled enroute by Fire Dispatch and returned to available status.

---

08/28/2010 08:49:22 Dispatched & cancelled en route  
Kelsey DR

Units dispatched to a reported medical aid. E71 cancelled enroute, wrong location. E76 and M73 to handle under master #102680.

For further information refer to master #102678.

---

08/29/2010 06:18:40 Public service  
Durango WY

Dispatched to a reported public assistance. Unit arrived, assisted a person in distress and returned to service.

For further information refer to master #103037.

---

08/29/2010 07:11:34 Passenger vehicle fire  
Laguna Palms WY

Engine 71 responded for a reported vehicle fire at the Elk Grove Police department. Upon arrival it was discovered that the vehicle had not yet caught fire, however the vehicle was overheating and the officers could not get the vehicle to shut down. Engine 71 removed the air cleaner duct and plugged duct with gloved hand to starve the engine of oxygen and vehicle shut off. No sign off fire and scene turned over to Elk Grove police.

# CSD Fire Department

## Media Summary

### All Applicable Records

---

08/29/2010 08:39:57 Smoke detector activation due to malfunction  
Crown Bench CI

Unit dispatched to assist a citizen with a smoke detector. Unit arrived to find two smoke detectors with faulty battery's. Crew assisted the citizen with replacing the batteries. The smoke detectors appeared to have stopped chirping.

---

08/29/2010 09:02:03 Building fire  
El Measa CT

Assignment dispatched for a reported structure fire. E71, M71 and BC10 arrived simultaneously to find fire coming from a front bedroom window of a single story dwelling. E71 initiated fire attack / search and rescue, M71 was assigned two-out by BC10, BC10 assumed command. Civilians in front of the dwelling reported to be the occupants and that everyone was outside. E76 arrived and was assigned to "supply" E71 then assist with fire attack. E73 was assigned RIC. Tr. 74 was assigned vent group with E74 to assist. Tr 50 was assigned salvage and BC9 assigned safety.

The fire was concentrated to the front rooms and hallway of the house with heavy smoke damage to the balance of the structure. Fire extended into the attic but was stopped prior to fully involving the attic space. SMUD removed the electrical meter, and P.G.& E. locked out the natural gas.

Fire Marshal George Apple responded to the scene to conduct the cause and origin investigation, refer to his report for findings. A rotational board up crew responded and also established a perimeter chain link fence.

Due to cellulose insulation being present in the attic, almost the entire ceiling area of the dwelling (even uninvolved areas) was "pulled" and removed. The homeowner was informed of our desire to re-visit the home pursuant to our policy and gave permission for re-entry. The first re-visit was conducted at approximately 17:00 hours with no concerns noted.

2nd revisit conducted: 0800 on 8-30-10 by E71, Captain Gainsley, Entire structure checked using ladder and thermal imaging. Nothing noted.

3rd revisit conducted: 2200 on 8-30-10 By BC10 Richard Holmes, Entire structure checked nothing found.

4th revisit conducted:

5th revisit conducted:

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/29/2010 10:34:39 Dispatched & cancelled en route  
Charente WY

Engine 76 and medic 71 dispatched for a medical aid and cancelled en route.

---

08/29/2010 11:13:08 Oil or other combustible liquid spill  
Laguna BL

Dispatched for a reported spill. Engine 74 arrived to find a 55 gallon drum turned over in the rear parking lot at the given address. The grease/oil substance did not enter any sewer drains. Engine 74 along with EGPD made contact with Sheron Cooney the property Managment company that deals with the Bel-Air shopping cent. The lot was sealed off to traffic and spill contained. Sheron Cooney was in charge of getting the product cleaned up.

A drive by was performed on 8/29/10 at approximately 1830 hours, and the clean up company was almost finished in the spill clean up.

---

08/29/2010 11:25:32 Gas leak (natural gas or LPG)  
Mannington ST

Engine 76 responded to an odor of natural gas. Arived to find a natural gas pipe in the back yard that was partially opened. The quarter turn valve was moved to the off position and the leak was controlled. House was vacant with a for rent sign in the front yard.

---

08/29/2010 12:33:23 Dumpster or other outside trash receptacle fire  
Beaver Park WY  
Olive Canyon DR

Unit responded for a reported fire in a dumpster on a residential street. Unit arrived to find a fire in a large dumpster. Occupants on scene attempting to extinguish. The fire was extinguished by fire department personnel using a 1 3/4 line. Homeowner to contact dumpster company to advise them and seek replacement. Unit returned to quarters.

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/29/2010 13:08:30 Dispatched & cancelled en route  
I5 SB  
HOOD FRANKLIN RD

Engine 75 dispatched to a vehicle fire southbound I5 south of Hood-Franklin Rd. Engine 75 was cancelled enroute by CHP.

---

08/29/2010 16:58:54 Building fire  
Marius WY

Units responded for a working structure fire in Battalion 9. For further information refer to Sacramento Metro Fire Department.

---

08/29/2010 17:49:25 Brush or brush-and-grass mixture fire  
Plaza Park DR

Units responded for a reported fence and field fire. M73 arrived to find approximately 60 feet of wooden fence on fire and approximately 1/4 acre of grass and debris fire burning. Engine 71 made access down a service road used for flood control and attacked the fire using 1 3/4" handline and approximately 1000 gallons of water. G51 assisted with extinguishment using progressive hose packs and another 1000 gallons of water.

---

08/29/2010 23:42:54 Heat from short circuit (wiring), defective/worn  
Renwick AV

Engine 75 dispatched for a public assist. Upon arrival resident stated the door bell button had been stuck in the depressed position and she could feel that the door bell unit was hot and started to smell a small amount of smoke. No signs of fire were noted on or around the door bell unit and the entire area was cool to the touch. Unit was disconnected and resident was advised to call facility maintenance.

---

08/30/2010 03:08:24 Hazardous condition, Other  
Mack RD

TRUCK 74 AND BC10 RESPONDED AUTOMATIC AID FOR SMOKE IN A COMMERCIAL STRUCTURE. TRUCK 74 ASSISTED TRUCK 16 WITH VENTILATING A LARGE STORE. BC10 WAS CANCELLED ENROUTE. NO OTHER SERVICE FOR BATTALION 2.

---

CSD Fire Department

Media Summary

All Applicable Records

---

08/30/2010 05:24:52 Good intent call, Other  
Felicia WY

TRUCK 74 ASSISTED A RESIDENT WITH A SMOKE DETECTOR.

---

08/30/2010 06:42:00 Passenger vehicle fire  
Big Horn BL  
Bruceville RD

Dispatched for a reported vehicle fire. Engine 74 arrived, extinguished and turned over to EGPD.

---

08/30/2010 07:06:15 Dispatched & cancelled en route  
Stenton WY

Engine and medic 46 responded to a Medical/fire/panic alarm and were cancelled ENROUTE.

---

08/30/2010 09:16:20 Dispatched & cancelled en route  
Cliffe WY

Medic 71 responded to a medical aid and was cancelled enroute. For further information refer to incident # 10103469.

---

**CSD Fire Department**

**Media Summary**

**All Applicable Records**

---

08/30/2010 09:34:24 Dispatched & cancelled en route  
Forman WY

Medic 71 was dispatched to a medical aid, and cancelled enroute. For further information refer to incident # 10103478.

---

08/30/2010 11:06:18 Animal rescue  
POLAR BEAR CR  
Vintage Oak AV

Unit dispatched for a reported animal rescue. Arrived to find a cat stuck in a storm drain. The cat was removed from the drain. Unit returned to quarters.

---

08/30/2010 12:09:54 Dispatched & cancelled en route  
Kennet WY

UNITS DISPATCHED TO A REPORTED MEDICAL AID. UNITS CANCELLED BY LAW ENFORCEMENT PROIR TO ARRIVAL.

---

08/30/2010 14:30:24 False alarm or false call, Other  
Campton Glen PL

Unit dispatched for a report of a smoke alarm sounding in a residence. Unit arrived to find a residence with its smoke alarms sounding and the neighbor reporting that an elderly woman lived there. After knocking at the door and looking in through the windows crew decided to force entry. Just before making access to the residence the home owner came home with the elderly women. Once the home owner entered the residence the alarms stopped and they refused any further assistance.

# CSD Fire Department

## Media Summary

### All Applicable Records

---

08/30/2010 14:41:38 Passenger vehicle fire  
WHITELOCK PKWY

Engine 72 responded to a reported commercial vehicle fire. Engine 72 arrived to find a single van on the side of the road. Driver had extinguished the fire prior to Engine 72 arrival. Engine 72 noted melted wires under the floor mat on the driver side. Driver stated he had visible flames and extinguished the fire with an extinguisher. Damage appeared to be confined to the floor area on the driver side.

---

08/30/2010 16:54:59 Natural vegetation fire, Other  
C ST

ENGINE 45 DISPATCHED FOR A TREE FIRE. ARRIVED TO A SMOLDERING OAK TREE WITH A VOID IN ITS TRUNK THAT WAS FILLED WITH TRASH AND IGNITED. WE EXTINGUISHED THE SMOLDERING AREA AND RETURNED TO QUARTERS.

---

08/30/2010 16:59:08 Dispatched & cancelled en route

Engine 75 responded with Battalion 95 units to a reported commercial vehicle fire. Units were cancelled en route by dispatch stating that the incident was a grass fire with units on scene.

---

08/31/2010 00:19:20 Good intent call, Other  
Moon River WY

Engine 73 and Medic 71 responded for a medical aid at 9555 Moon River Way. Engine 73 arrived to find no medical need. No further services by fire department.