

CSD Fire Department

Media Summary

All Applicable Records

03/08/2010 01:10:03 Assist invalid
Sharkey AV

Assist uninjured elderly man from the floor.

03/08/2010 02:29:25 Passenger vehicle fire
Elk Grove Florin RD

Engine 71 was dispatched to a reported vehicle fire. Engine 71 arrived on scene to find a fully involved vehicle fire. Elk Grove PD was also on scene. The fire was extinguished and attempts were made to locate a legible VIN for PD but were unsuccessful. No license plates were on the vehicle either. The fire was originally reported by the clerk at the AM/PM gasoline station, however they did not see anyone in the area. Scene turned over to EGPD.

03/08/2010 06:25:06 Excessive heat, scorch burns with no ignition
Longport CT

Units dispatched to a general fire alarm. Arrived to find a three story hotel with nothing showing and nobody evacuated. After a check of the interior, it was determined the alarm had sounded due to burned food in one of the rooms. Positive pressure ventilation was used to clear the room of smoke. The alarm was reset, and personnel cleared the scene.

03/08/2010 10:10:39 False alarm or false call, Other
Renwick AV

Engine 75 and medic 71 responded to a reported medical alarm. Arrived to find resident in no distress stating the alarm was an accidental trip. The alarm company was contacted and the alarm was reset.

CSD Fire Department

Media Summary

All Applicable Records

03/08/2010 12:09:05 Alarm system sounded due to malfunction
Laguna BL

Dispatched for a commercial internal alarm. Engine 74 arrived to find a alarm sounding do to a power outage in the area. Engine 74 reset the alarm and returned to service.

03/08/2010 12:10:54 False alarm or false call, Other
Laguna BL

TRUCK 74 ONSCENE WITH A REPORTED COMMERCIAL INTERNAL ALARM. TRUCK 74 CONFIRMED FALSE ALARM AND RESET THE SYSTEM. NO OTHER SERVICE REQUIRED.

03/08/2010 12:32:31 Building fire
Bowmont WY

Dispatched for a residential structure fire. Units arrived to find a exterior roof fire on wood shake shingles. Engine 74 forced entry to the front door and cleared the house with a primary search. There was a small residual fire in the attic due to shake shingles dropping in from the roof. The roof fire was extinguished and stripped of roofing materials. The attic was cleared and rechecked with the thermal imaging camera for any signs of hot materials. Salvaged was performed in the living area of the residence, a small vase was broken during moving of the TV and table.

The residence was rechecked by truck 74 around 1630 hours. 9400 Bowmont checked clear for any hazards on the two hour recheck. Engine 74 will recheck the residence on 3/9/10 at approximately 0800.

03/08/2010 13:48:43 Good intent call, Other
I 5 HWY
LAGUNA BL

Engine 75 and medic 11 responded to a reported man down next to car. Arrived to find a 20's male standing by his truck with no medical emergency.

CSD Fire Department

Media Summary

All Applicable Records

03/08/2010 15:16:41 Good intent call, Other

1st ST
F ST

Unit dispatched for a reported odor of natural gas. Arrived to find PGE working on the gas lines at this location. Spoke with PGE and confirmed that the odor was from their location. Unit returned to quarters.

03/08/2010 19:06:22 Unintentional transmission of alarm, Other
Lotus Pond WY

Engine 72 responded to an alarm sounding. The house was not occupied and locked. Engine 72 looked through the windows and the house appeared to be clear. Engine 72 checked with the neighbor and they contacted the homeowner. Homeowner came home and the house checked clear. The alarm system was reset.

03/09/2010 06:19:36 System malfunction, Other
F ST

ENGINE 45 DISPATCHED FOR AN ALARM ACTIVATION. WE ARRIVED ON SCENE AND THE STAFF MANAGER HAD ALREADY CHECKED THE BUILDING AND RESET THE SYSTEM. WE RETURNED TO QUARTERS.

03/09/2010 07:26:18 Dispatched & cancelled en route
HWY99 SB
BOND RD

ENGINE 71 RESPONDS TO A CARE FIRE ON HIWAY 99 SOUTH BOUND SOUTH OF BOND ROAD. HIWAY PATROL ONSCENE CANCEL FIRE UNITS PRIOR TO ARRIVATL STATING NO FIRE.

03/09/2010 11:32:22 Cooking fire, confined to container
Polo Crosse AV

Engine 73 responded for a oven fire in a residential structure at 7740 Polo Crosse Way. Engine 73 assisted Engine 55 with ventilation. Engine 73 used positive pressure ventilation to evacuate the smoke. Engine 73 was released by Engine 55 for further information refer to Sacramento Metro Fire Department.

CSD Fire Department

Media Summary

All Applicable Records

03/09/2010 14:11:22 Dispatched & cancelled en route
Elk Grove BL
Laguna Springs DR

UNITS RESPOND TO A MAN DOWN IN ROADWAY. ALL FIRE UNITS WERE CANCELLED BY ELK GROVE POLICE ALREADY ONSCENE STATING NO EMERGENCY, NON INJURY.

03/09/2010 19:50:00 Chemical spill or leak
Wangler DR

Assignment dispatched for a level 1 haz-mat. BC10 responded from station 46 , balanced the assignment to a level 2 haz-mat ,and requested the response of Decon Unit 72. E73 arrived to find that an employee of the property owner was operating a tractor in a barn and ran over several containers of an unknown chemical. The operator of the tractor did not get any of the product on him, but was complaining of a cough. He was assessed by paramedics and denied transportation to a hospital for further evaluation.

Haz-mat 7 arrived, was briefed by command (BC10 and E73) and a "recon-entry" was planned. Haz-mat group (Petree), Haz-mat safety (2293 Apodaca), entry team leader (Saylor), decontamination (E73 P. Zehnder) and medical unit (M73) was established. After a full safety briefing an entry was made. Lieutenant Martin Pilcher of EGPD was on scene and was briefed on our incident action plan. The entry team discovered two one-gallon containers of a concrete stain, and a one gallon container of an acid had been damaged. There was no threat to persons or livestock, so Sacramento County Hazardous Material Representative Ryan Artz authorized us to lock the barn, put warning tape around the doors, notify the owner/occupant not to make entry and he would work with the proper owner on mitigation the next day.

All personnel on scene participated in a post incident analysis and after sharing thoughts and opinions all units were released from the scene.

Respectfully Submitted

Richard Holmes
Battalion Chief
Incident Commander

CSD Fire Department

Media Summary

All Applicable Records

03/10/2010 10:35:53 Lock-out
Franklin High RD

TRUCK 74 WAS DISPATCHED TO A REPORTED LOCK OUT WITH A CHILD IN THE VEHICLE. TRUCK 74 ARRIVED TO FIND A CHILD LOCKED IN THE CAR IN NO APPARENT DISTRESS. VEHICLE WAS UNLOCKED AND THE CHILD WAS ASSESSED WITH NO APPARRENT INJURIES. TRUCK 74 WENT AVAILABLE ON RADIO.

03/10/2010 11:20:46 Smoke detector activation, no fire - unintentional
Longport CT

Units dispatched to a reported General Fire Alarm. Arrived to find a three story hotel with nothing visible from the exterior. Units investigated and determined cooking had activated a room smoke detector. Unit ventilated and reset fire alarm system.

03/10/2010 12:04:51 Public service assistance, Other
Mingo RD

Engine 46 responded to a public assistance. Unit arrived and assisted home owner with changing batteries in smoke detector. Engine 46 went available on radio when assistance was no longer needed.

For further information please refer to master copy # 028000

03/10/2010 16:16:58 Smoke scare, odor of smoke
Franklin BL

Engine 74 and Truck 74 responded for the odor of gas. Engine 74 arrived to find the occupant of an apartment complaining of smoke production secondary to stove usage. The burner area of the stove was evaluated with no problems noted. The interior of the stove was visualized and was noted to be clean and no obvious defects were noted. The apartment assistant manager and maintenance workers responded to the scene. Teh maintenance workers indicated that this was the second oven to be installed in this unit in recent history. The maintenance staff confirmed the stove had been used and was cleaned before installation in current apartment, where residual cooking and cleaning products may have caused the smoke. The occupant was advised to call 911 or maintenance staff should anything out of the ordinary occur with the stove again.

CSD Fire Department

Media Summary

All Applicable Records

03/10/2010 18:06:18 Assist invalid
Pocket RD

Unit dispatched to a reported medical aid with Medic 12 to Sacramento City Fire District. Arrived to find a person with no medical need requiring assistance only.

03/10/2010 19:13:53 Smoke detector activation, no fire - unintentional
Longport CT

Units dispatched to a reported General Fire Alarm. Arrived to find a three story hotel with nothing visible from the exterior. Investigation found cooking had activated a room smoke detector. The room was ventilated and the system reset. No further assistance needed.

03/10/2010 19:43:41 Electrical wiring/equipment problem, Other
Elm AV

ENGINE 76 ARRIVED TO A SINGLE STORY SINGLE FAMILY DWELLING WITH A REPORT OF HOT OUTLETS BUT NO FIRE. OCCUPANTS STATES THAT HE MAY HAVE HAD TOO MANY ITEMS PLUGGED IN TO OUTLET IN HIS BEDROOM AND THE OUTLET GOT VERY HOT. OCCUPANT DENIES TRIPPING BREAKERS AND NO SIGN OF FIRE. ADVISED OCCUPANT TO DISCONTINUE USE OF OUTLET UNTIL IT CAN BE CHECKED BY BUILDING OWNER. UPON CHECKING THE SURROUNDING WALL FOR HEAT WITH NONE PRESENT ENGINE 76 CLEARED THE SCENE.

03/10/2010 23:49:09 Trash or rubbish fire, contained
Laguna BL

Engine 74 responded for a reported dumpster fire. Engine 74 arrived to find a smoldering dumpster fire. Crew members completed extinguishments. Company officer interviewed the manager and staff regarding possible placement of hot material in dumpster with no obvious connection found. Charcoal materials had been disposed into metal containers in the restaurant area. Metal containers in restaurant were noted to be full.

CSD Fire Department

Media Summary

All Applicable Records

03/11/2010 11:46:06 Dispatched & cancelled en route
Tralee WY

UNITS RESPONDED FOR ARREPORTED MEDICAL AID AND WERE CANCELLED ENROUTE BY FIRE DISPATCH, PATIENT STATES IS FEELING BETTER.

03/11/2010 12:13:01 Unauthorized burning
Kiwi CI

E71 was dispatched to check an illegal burn. E71 arrived and met with the new homeowner who was burning a small pile of lumber. E71 extinguished the fire and advised the homeowner that there was no open burning allowed in the city limits. E71 went available.

03/11/2010 13:19:37 Assist invalid
Sheldon RD

Crew assisted an AMR ambulance conducting a non emergent transport. The crew helped a very large patient rise from bed and walk to the AMR gurney and then helped lift the gurney out of the house and into the ambulance.

03/11/2010 16:26:40 Unauthorized burning
Cresleigh PW

Engine 74 responded to the report of juveniles attempting to start a fire in the park at Cresleigh/Eagle Glen. Engine 74 arrived with EGPD and found two juveniles that stated a third that had left the scene prior to our arrival had burned a piece of paper by the drinking fountain. Engine 74 found a small amount of ash in the drinking fountain with no damage. Engine 74 was released by EGPD. For further information refer the EGPD for a report.

CSD Fire Department

Media Summary

All Applicable Records

03/11/2010 19:01:42 Dispatched & cancelled en route
Calvine RD
Elk Grove Florin RD

E71 was dispatched to a vehicle accident in B9. E71 was cancelled in route.

03/11/2010 20:54:46 Fire, Other
Elk Crest DR
Emerald Vista DR

E71 was dispatched to check an unknown fire type. E71 arrived and met the RP who directed us to a smoldering fire in the sandbox at Feickert Park. The fire was extinguished by E71. There were no witnesses and no types of ignitions sources present. The material burning appeared to be a small jacket. E71 went available.

03/11/2010 23:38:50 Building fire
Rangeview LN

E76 and BC10 responded into B9 for a reported structure fire at the noted location. E7 arrived and reported heavy fire from the front of the building. E76 was assigned RIC by Command and softened the structure and secured utilities. BC10 was assigned Safety. Refer to BC9 report for further information.

03/12/2010 06:15:42 Detector activation, no fire - unintentional
Longport CT

Units dispatched to a reported general fire alarm. Arrived to find a three story hotel with nothing visible from the exterior. Unit investigated and determined a room smoke detector had been activated by toast. No further assistance needed.

03/12/2010 08:58:19 Alarm system activation, no fire - unintentional
Waterman RD

E73 was dispatched for a commercial fire alarm - smoke detector activation. Upon arrival E73 found a 3 story apartment building evacuated. E73 investigated to find a normal cooking operation in Apt #114 which had created a substantial amount of smoke. All other units were checked without signs of fire. The unit was ventilated and the alarm system was reset. No further action was taken.

CSD Fire Department

Media Summary

All Applicable Records

03/12/2010 09:06:57 Dispatched & cancelled en route

Units dispatched to a vehicle accident with rollover. Units were cancelled by CHP upon arrival.

03/12/2010 10:54:26 Dispatched & cancelled en route
Sheldon Lake DR

Medic 7 was cancelled ENROUTE by Fire dispatch.

03/12/2010 11:28:23 Lock-out
Grant Line RD

E73 responded for a child locked in a vehicle without distress. E73 arrived to find parents on scene with a 2 year old female who was accidentally locked in a vehicle at a gas pump. E73 utilized forcible entry tools to gain access through the passenger side door. No damage was noted to the door after entry.

03/12/2010 11:34:47 Service Call, other
Bond RD

E76 was dispatched to assist with the reset of a fire alarm system. E76 arrived and met with an administrator who stated they did not have the right key to reset a pull station. We advised her that we do not carry keys for pull stations and assisted in trying to find the key. The key was never found and the alarm company was contacted to assist. The pull station was taped back into position and the alarm system was still working. E76 went available.

CSD Fire Department

Media Summary

All Applicable Records

03/12/2010 12:57:01 Unintentional transmission of alarm, Other
Crown Bench CI

E72 on scene to find homeowner on sidewalk informing us it was a accidental alarm and the system was restored by homeowner. E72 returned to station.

03/12/2010 17:08:22 Gas leak (natural gas or LPG)
Fruited Plain WY

E73 responded for a report of a natural gas leak. E73 arrived to find a single adult female inside the residence. RP stated she smelled gas while cooking in her kitchen and during the process of turning off the stove controls a loud pop and rush of air occurred. This event cause the burners and the stove control knobs to disengage from the stovetop landing on the floor. The adult female stated she was uninjured. E73 secured the natural gas supply and requested PG and E to respond. Natural ventilation was initiated. E73 cleared the scene without further action taken.

03/12/2010 18:24:51 Person in distress, Other
Lake Park AV

Arrived to find a patient needing assistance back into bed. Patient also had a medical complaint. Patient refused treatment and/or transport. Patient read and signed Against Medical Advice form.

03/12/2010 18:57:47 Passenger vehicle fire
Bruceville RD
Laguna BL

Engine 74 and Medic 74 were dispatched to a reported assault with a vehicle involved, enroute Engine 76 was dispatched to a reported vehicle fire behind the same location. Engine 74 communicated with medic 74 to take the medical aide while Engine 74 investigated the car fire. Engine 74 arrived to find a fully involved vehicle fire behind the Surf and Skate store located at Bruceville Rd. and Laguna Blvd. Engine 74 took fire attack and extinguished the vehicle fire. Engine 74 cancelled Engine 76 which was dispatched as a additional unit for the vehicle fire. Engine 74 crew spoke with Elk Grove P.D. who stated the vehicle may have been involved in a crime near the same location. Engine 74 crew conducted mop-up on the vehicle and assisted EGPD lighting for their crime scene investigation and with securing the vehicle to be towed to a local impound yard. Engine 74 returned to quarters.

CSD Fire Department

Media Summary

All Applicable Records

03/12/2010 20:16:01 Sprinkler activation, no fire - unintentional
Elkmont WY

Engien 71 was dispatched to a reported water flow alarm sounding. Engine 71 arrived on scene to find a broken sprinkler head. Engine 71 met with staff on scene and they advised that they had shut down the water to the fire protection system. Engine 71 drained the remaining water from the system and the alarm system reset. Captain McLean spoke with the supervisor on the phone and advised him that he would need to contact a repair company to get the broken sprinkler fixed. He advised that it will get fixed, but in the meantime there was someone on the property 24 hours a day. Engine 71 agreed with his plan and returned to quarters.

03/12/2010 20:36:32 Service Call, other
Elm AV

ENGINE 45 WAS DISPATCHED TO A RESIDENCE TO INSPECT TWO ROOMS WITH HOT ELECTRICAL OUTLETS. THE ELCTRICAL OUTLETS, AS WELL AS THE WALL SURROUNDING THE OUTLETS WERE WARM TO THE TOUCH. ENGINE 45 CREW SHUT OFF THE POWER GOING TO THE TWO ROOMS THAT WERE EFFECTED. TENTANTS WERE ADVISED TO HAVE THEIR LANDLORD HAVE AN ELECTRICIAN COME OUT BEFORE TURNING THE POWER BACK ON.

03/12/2010 20:51:00 Heat from short circuit (wiring), defective/worn
Cordially WY

Engine 71 was dispatched to a report of odor of smoke. Engine 71 arrived on scene to find a single story residential structure with nothing visible. Upon talking with the homeowner she stated that she heard two loud pops and then smelled smoke in one of the bedrooms. She felt an electrical outlet on the wall and it felt hot. Engine 71 crew made entry into the house and did smell a slight odor of smoke but did not see any smoke. The wall and outlet in question was scanned with the thermal imager and it was found to be warmer than normal. The homeowner stated that she had an electrician working on that outlet and an adjacent outlet earlier. The outlet cover plate was removed and there was obvious signs of electrical arcing inside the junction box. Engine 71 crew shut off the breaker at the electrical panel for that outlet and advised the homeowner to contact an electrician to fix the problem.

03/13/2010 00:25:34 Dispatched & cancelled en route
Big Horn BL
Laguna BL

Engine 74 was dispatched to a reported vehicle fire, enroute Engine 74 was canceled by Elk Grove P.D. No vehicle fire, overheated vehicle only. Engine 74 returned to quarters.

CSD Fire Department

Media Summary

All Applicable Records

03/13/2010 07:01:37 Person in distress, Other
Graciosa WY

E72 dispatched with M72 to a fall. E72 assisted person to a chair. No medical need. E72 and M72 returned to quarters.

03/13/2010 16:33:48 Chemical spill or leak
Amaryllis CT
Scarlet Sage WY

Units dispatched to noted location to check a substance. Responding with BC 10 was Sacramento Metro E 51 and Sacramento City HM 7. Incident was secured with no leak.

03/13/2010 18:17:49 False alarm or false call, Other
Starbrook DR

E46 ARRIVED TO FIND A TWO STORY SINGLE FAMILY DEWLLING WITH NOTING VISIBLE. OCCUPANTS STATE ALARM SET OFF BY DUSTING AND NOW ALARM IS RESET. E46 RETRURNED TO SERVICE.

03/14/2010 00:22:47 Gas leak (natural gas or LPG)
Park Terrace DR

E46 ARRIVED TO FIND A TWO SINGLE STORY SINGLE FAMILY DEWLLING THAT WAS OCCUPIED. OCCUPANTS STATE THEY HAVE A HEAVY SMELL OF GAS IN THE INTERIOR OF THE RESIDENCE. E46 ENTERED THE RESIDENCE AND DETECTED A SMELL OF GAS, OCCUPANTS STATE THE STOVE BURNER WAS LEFT ON FOR SEVERAL HOURS. THE STOVE WAS CHECKED AND SECURED IN THE OFF POSITION , HOUSE WAS VENTULATED WITH POS PRESSURE FAN. OCCUPANTS WERE INSTRUCTED IF SMELL RETRUNS OR IF OCCUPANTS START HAVING HEADACHES, N/V, DIZZYNESS, SYMPTOMS CALL 911. E46 RETRUNED TO SERVICE.

CSD Fire Department

Media Summary

All Applicable Records

03/14/2010 15:58:56 Dispatched & cancelled en route
Bruceville RD

Engine 76 responded to a reported internal alarm. Other units assigned to same call arrived and cancelled Engine 76 while enroute. Engine 76 went available on radio.

For further information please refer to master copy # 029756

03/14/2010 21:33:34 Arcing, shorted electrical equipment
Hollybrook DR

Unit responded, code 2, to noted location to check an electrical problem. On arrival made contact with the occupant who stated that she had a power strip arc. We disconnected the power strip and told her to throw it away. There was no evidence of any fire or extension. Call was shut off.

03/15/2010 00:22:49 Smoke detector activation, no fire - unintentional
Vilamoura WY

Engine 72 responded to an alarm sounding. On arrival Engine 72 met the homeowner in the driveway. She stated the alarm was going off but there was no smoke and did not know why. Engine 72 replaced the batteries in two detectors and the system reset. Engine 72 explained to her she would need replace batteries in all detectors. She said she would and signed the CSD waiver for installation of the two batteries Engine 72 replaced.

03/15/2010 07:00:18 Person in distress, Other
Durango WY

Engine 73 responded to assist a citizen off the floor. The resident was assisted off the floor and into a chair. No further service by fire department.

CSD Fire Department

Media Summary

All Applicable Records

03/15/2010 08:25:41 Good intent call, Other
Riviera LN

Engine 75 responded to a report of a smoke detectors sounding. engine 75 arrived on scene to find nothing visible or audible. Upon further investigation the house appeared to be unoccupied with no signs of smoke or fire . A visual confirmation was made through partially open blinds of the kitchen area, the downstairs and upstairs. Engine 75 went available at 08:36 hours

03/15/2010 09:13:05 Public service assistance, Other
Caprezzo WY

UNITS RESPONDED TO ASSIST A CITIZEN OFF THE FLOOR AFTER NON INJURY FALL. UNITS WENT AVAILABLE AFTER CITIZEN WAS ASSISTED TO HIS FEET.

03/15/2010 10:13:37 Public service assistance, Other
Newington WY

ENGINE 74 DISPATCHED FOR A REPORTED PUBLIC ASSISTANCE CALL. ENGINE 74 CHECKED AND CHANGED BATTERIES IN THE SMOKE DETECTORS FOR THE HOMEOWNER.

03/15/2010 23:48:00 Smoke detector activation due to malfunction
Island CT

Engine 75 responded to a reports of a smoke detector sounding with no signs of smoke or fire. Engine 75 arrived to find a possible malfunctioning smoke detector. The smoke detector was removed and a temporary, department supplied, detector was put in it's place. The occupants also stated that they had been having other electrical issues over the past year. The occupants were advised to contact the property owner about the malfunctioning detector as well as the electrical issues and that they should have an electrician respond out for further inspection.

All CCSDFD paperwork was completed and forwarded to the Fire Prevention Bureau.

CSD Fire Department

Media Summary

All Applicable Records

03/16/2010 00:08:34 Dumpster or other outside trash receptacle fire
Laguna BL

Dispatched for a reported dumpster fire. Engine 74 arrived to find a dumpster fire with no exposures, the fire was extinguished and checked for foreign materials. EGPD cleared, engine 74 returned to service.