

CSD Fire Department

Media Summary

All Applicable Records

03/01/2010 01:18:37 Dispatched & cancelled en route
Long Cove PL

Units dispatched to a medical and panic alarm. Elk Grove Police Personnel were on scene and cancelled fire units upon arrival.

03/01/2010 10:51:06 Gasoline or other flammable liquid spill
Crowley WY

Engine 73 responded for a vehicle leaking fuel at 9013 Crowley Way. Engine 73 arrived to find a vehicle in the driveway with a small leak from the fuel tank. The leak was stopped with strip caulk applied to the bottom of the tank. The resident had arranged to have the vehicle towed. No further service by the fire department.

03/01/2010 17:22:28 Dispatched & cancelled en route
Elk Grove Florin RD

Engine 71 was dispatched to a reported internal fire alarm sounding. Engine 71 was cancelled en route. The property tenants had activated the alarm accidentally and gave the proper code to reset the system.

03/01/2010 21:12:57 Public service assistance, Other
Colton AV
Elk Grove BL

Units responded to a walk-in report of a person lying on the ground. Units arrived on scene to find a male person laying on the ground who appeared to be under the influence of alcohol. Elk Grove PD arrived on scene and the scene was turned over to them. There was no medical need.

03/01/2010 23:26:54 Good intent call, Other
Waterman RD

Units responded for a report of flammable gas odor in a residence. Units requested to stage per Batalion 9 on scene. No services provided beyond that of staging. Incident shutoff.

CSD Fire Department

Media Summary

All Applicable Records

03/02/2010 06:08:23 Alarm system activation, no fire - unintentional
Longport CT

Units dispatched to a general fire alarm at The Extended Stay Hotel. Arrived to find nothing visible and nobody evacuated from a three story hotel. The responsible party at the hotel advised that there had been a trouble alarm at the alarm panel, but no general alarm had sounded through the building. He had reset the alarm prior to fire department arrival. The reset was confirmed through fire dispatch. The initial report of alarm had been for a zone on the third floor, so the third floor was checked with a thermal imaging camera to make certain there was no smoke or heat coming from any of the rooms. Nothing out of the ordinary was found, and personnel cleared the scene.

03/02/2010 09:45:09 False alarm or false call, Other
Elk Grove BL

ENGINE 71 ARRIVES ONSCENE OF A COMMERCIAL STRIP MALL BUILDING WITH REPORTS OF ALARM SOUNDING. ENGINE 71 ARRIVES ONSCENE WITH NO SMOKE OR FLAMES SHOWING AND NOT EVACUATED. ENGINE 71 PERSONNEL WALK THE BUILDING TO FIND A ALARM TECH ONSCENE WORKING ON THE FIRE ALARM SYSTEM. FALSE ALARM, TECH WILL RESTORE SYSTEM IN 10 MINUTES.

03/02/2010 10:33:50 Chemical spill or leak
Laguna BL
Laguna Springs DR

Engine 71 and M74 responded to a reported auto accident.

M74 arrived and assessed the scene. The accident was non-injury.

E71 arrived and assessed hazards and found a small amount of radiator fluid had already gone down the sidewalk into drain. The cars were removed from the street by EGPD and rechecked for leaking fluid. No more fluid was found.

All units returned to station.

03/02/2010 12:04:22 Dispatched & cancelled en route
Suncountry LN

Units dispatched for a reported medical aid. Patient was treated and transported.

CSD Fire Department

Media Summary

All Applicable Records

03/02/2010 12:15:36 Dispatched & cancelled en route
Deer Trail WY

Units dispatched for a medical aid and was cancelled enroute.

03/02/2010 13:17:07 Dispatched & cancelled en route
Lotz PW

UNITS RESPONDED TO REPORTED MEDICAL AID. CANCELLED EN ROUTE. NO PATIENT CONTACT.

03/02/2010 13:41:06 Public service assistance, Other
Renwick AV

Engine 75 dispatched for a public assistance, non injury fall. Person sitting in bath tub post slip and fall off shower chair due to loss of traction on floor mat while trying to stand. Person stated mechanical fall. Person denied any pain and assisted to shower chair. Person CSM x4, A&O-4 denies any pain or deficient. Person in care of care giver and encouraged to get a bath tub floor covering with better traction.

03/02/2010 17:27:45 Malicious, mischievous false call, Other
Lotz PW

Engine 72 arrived on scene to an alarm sounding in the school gym. An extinguisher had been discharged in the boys locker room. Engine 72 used positive pressure ventilation and reset the alarm.

CSD Fire Department

Media Summary

All Applicable Records

03/02/2010 18:11:42 Dispatched & cancelled en route
Arroyo Vista DR

TRUCK 74 CANCELLED ENROUTE TO A REPORTED STRUCTURE FIRE IN 7'S AREA.

03/02/2010 19:42:18 Public service assistance, Other
Grouse Creek CT

Engine 71 responded for a public assist. The person was assisted.

03/02/2010 23:00:46 Dispatched & cancelled en route
Laguna BL

ENGINE 74 WAS DISPATCHED TO A REPORTED WATER ALARM. ENGINE 74 WAS CANCELLED EN ROUTE.

03/03/2010 07:16:50 Dispatched & cancelled en route
CONEY ISLAND CIR

Engine 75 responded to a reported internal alarm and was cancelled en route by dispatch.

03/03/2010 09:11:11 Assist police or other governmental agency
Survey RD

Engine 71 was dispatched to check a hazard by request of Elk Grove Police. Scene was turned over to Fire Prevention.

CSD Fire Department

Media Summary

All Applicable Records

03/03/2010 09:52:49 Assist invalid
Calle Margarita

Engine 71 was dispatched to assist a citizen from the floor. Personnel arrived to find an elderly female on the floor. Personnel assisted citizen back into her wheel chair.

03/03/2010 10:07:37 False alarm or false call, Other
Swanbrook CT

Dispatched for a violent male patient. personnel arrived to find a male patient who did not wish to go to the hospital. No services needed from fire personnel.

03/03/2010 10:17:24 Assist police or other governmental agency
Laguna BL

Dispatched to assist Elk Grove Police Department to check the condition of a building post vehicle hitting the building. Engine 74 arrived to find some damage to the building, but no immediate hazards. Engine 74 was diverted to another call and PD was advised to contact SMUD to check electrical panel that was hit and the Elk Grove building department to assess the building.

03/03/2010 10:19:50 Dispatched & cancelled en route

Engine 74 & 46 and medic 45 dispatched for a TC on SB I-5. E-74 traveled from on SB I-5 from Laguna blvd to hood Franklin rd. E 46 and medic 45 Traveled NB I-5 from twin cities to hood Franklin rd. Unable to locate.

CSD Fire Department

Media Summary

All Applicable Records

03/03/2010 13:43:49 Public service assistance, Other
Ed Rau RD

E72 assisted a 35 yom with a physical handicap from the floor into his wheelchair. Patient was uninjured. Engine 72 then returned to service.

03/03/2010 13:56:31 Gas leak (natural gas or LPG)
Alder Grove PL

Units responded to noted location for a reported natural gas leak inside the building. On arrival found a single story, single family dwelling that had been evacuated. Upon making contact with the reporting party she stated that when she returned home and opened the odor there was a strong odor of gas. Investigation found that a burner on the stove had been left on without igniting. The burner was shut off and the home ventilated of the gas. Engine 71 and BC 10 were released. After ventilating, the occupant was informed to keep the windows opened for a while until all odor was gone. The call was shut off.

03/03/2010 14:57:34 Dispatched & cancelled en route
Kent ST

Units responded to a report of a medical aid and were cancelled while enroute via radio. For further information refer to incident # 10025116.

03/03/2010 16:44:44 Smoke detector activation due to malfunction
Glenayle PL

Dispatched to a smoke alarm activation. Units arrived to find a single story house with nothing showing and smoke detectors activating. Upon investigation, one smoke detector was found to be wet from a roof leak. The smoke detector was removed and a new smoke detector was placed in the room.

CSD Fire Department

Media Summary

All Applicable Records

03/03/2010 17:14:08 Cooking fire, confined to container
Boa Nova DR

Engine 72 arrived and cancelled all units except Truck 74. Occupant was cleaning the oven and materials inside the oven caught fire. Smoke filled the house. Engine 72 and Truck 74 used positive pressure ventilation to clear the house. Power was shut off to the oven and occupant was told to clean oven prior to using the cleaning option on the oven. Engine 72 used a thermal imaging camera to check the cabinet and walls for abnormal heat. Occupant was told to allow oven to cool down prior to opening the oven door to continue cleaning.

03/03/2010 17:29:15 Water problem, Other
Bond RD

Engine 73 responded for a flooding at 9445 Bond Rd. Engine 73 arrived to find the residence was flooding from rainwater accumulating around the house. Engine 73 dug two ditches in a berm to the rear of the house to release water that was rising. Engine 73 also removed some planter material that was holding water against the house allowing the water to run away from the house. Engine 73 assisted with setting up two submersible pumps to remove the remaining water. The resident had people cleaning up water inside of the residence. He stated he would contact his insurance company in the morning. No further service by the fire department.

03/03/2010 17:39:18 Smoke scare, odor of smoke
Laguna Springs WY

Dispatched to a odor of smoke in a house. Units arrived to find a single story house with no signs of fire. Upon investigation, there was a smell of smoke in the house but personnel was unable to find the source of the smell. The attic was clear of smoke, heat, and smell of smoke. The heater, all appliances, and all electrical outlets and lights were checked. The thermal imaging camera showed no signs of excessive heat. The smell of smoke was no longer detected by personnel or occupant. The occupant was advised to activate 911 if the smell of smoke returns.

03/04/2010 13:25:08 Dispatched & cancelled en route
Laguna BL

Engine 75 responded to an internal alarm and was cancelled by dispatch while en route.

CSD Fire Department

Media Summary

All Applicable Records

03/04/2010 13:31:13 Alarm system sounded due to malfunction
Bond RD

Unit dispatched to an internal alarm. Arrived to find an evacuated High School with nothing showing. Upon investigation, it was determined the alarm had sounded due to dust in a detector. The detector was cleaned, the alarm was reset, and the call was shut off.

03/04/2010 17:18:27 Water evacuation
Palin AV

E45 and T74 responded to the above address for a reported flooding. Per dispatch, the problem was coming from apartments 47 and 48. E45 arrived and found that the bathrooms of both apartments were flooded (approx 1 inch of standing water), as well as the kitchens, and carpets (hall and living room areas). We shut off the water and started moving furniture in preparation for the water vacuums. T74 arrived and used the water vacuums in both apartments. Per both tenants, the manager had already seen the flooding and had made contact with Roro Rooter out of Sacramento. The flooding was a water issue only- no sewage. E45 and T74 went AOR and returned to quarters.

03/05/2010 03:58:34 Gas leak (natural gas or LPG)
Arborwood CT

Unit dispatched to a flammable gas leak. Arrived to find an outdoor barbeque pit that the resident was unable to shut off. An obstruction in the key was removed, allowing the key to fit onto the valve. The gas was turned off, and no further assistance was needed.

03/05/2010 18:44:23 Lock-out
FERN CT

UNITS WERE DISPATCHED TO A REPORTED CHILD LOCKED IN A VEHICLE. UNITS ARRIVED AND UNLOCKED VEHICLE. UNITS CLEARED SCENE.

CSD Fire Department

Media Summary

All Applicable Records

03/05/2010 19:14:48 Sprinkler activation due to malfunction
Brown RD

Dispatched to check an alarm, Engine 73 arrived and reported a single story elementary school with nothing showing. Crews met the school Custodian who stated no fire but unable to reset the alarm. The Elk Grove School Alarm technicians arrived and advised on going problem and silenced the alarm. The affected zones were checked and confirmed to be free of any smoke or fire. Unable to reset the alarm the technician agreed to remain on scene to make repairs and not leave until the system was reset.

03/05/2010 19:58:14 Good intent call, Other

Dispatched to a reported vehicle fire northbound 99 1/4 mile south of Sheldon Rd. Checked north and southbound between Elk Grove Blvd. and Calvine Rd, unable to locate. No other services rendered.

03/06/2010 11:21:25 Person in distress, Other
Eisenbeisz ST

ENGINE 71 RESPONDS TO A PRIVATE RESIDENCE FOR A NON INJURY FALL, LIFT ASSIST FROM THE FLOOR OF A HANDICAPPED ELDERLY WOMEN.

03/06/2010 12:06:41 Passenger vehicle fire
Pringle AV

Dispatched for a vehicle fire. Arrived to find a fully involved engine compartment of a passenger car. Engine 45 personnel extinguished the fire using tank water.

CSD Fire Department

Media Summary

All Applicable Records

03/06/2010 14:15:06 No Incident found on arrival at dispatch address
Nb Hwy99 Of Ayers

Engine 45 responded to a vehicle fire in the area of the dispatched location but was unable to locate any vehicle or person in distress. Engine 45 proceeded northbound Hwy 99 to the Twin Cities Rd. exit and was still unable to locate any vehicle fire. Engine 45 received no further information from fire dispatch. Engine 45 shut off the incident and returned to service.

03/06/2010 20:02:27 Dispatched & cancelled en route
Modena WY

ENGINE 76 DISPATCHED AUTOMATIC AID WITH SACRAMENTO CITY FIRE DEPARTMENT MEDIC 7 FOR A REPORTED MEDICAL AID. BOTH UNITS CANCELLED ENROUTE BY FIRE DISPATCH ADVISING NO MEDICAL NEED.

03/07/2010 01:26:43 Dispatched & cancelled en route
Little Harbor WY

Engine 73 was cancelled by Elk Grove Police Department prior to our arrival.

03/07/2010 02:59:10 Dispatched & cancelled en route
Green RD
Randolph RD

Units were dispatched to a reported vehicle accident. Units were cancelled enroute.

03/07/2010 04:37:33 Dispatched & cancelled en route
Industrial DR

Engine 45 and Medic 45 were dispatched to a medical aid at the address listed. Units were cancelled enroute via fire dispatch for no medical need. Engine 45 and Medic 45 returned to service in quarters.

CSD Fire Department

Media Summary

All Applicable Records

03/07/2010 05:51:32 Alarm system sounded due to malfunction
Calvine RD

Unit responded to a report of an internal alarm water flow. Upon arrival an audible alarm was sounding. Upon investigation, no signs of fire. Alarm was reset. Incident shutoff.

03/07/2010 09:51:22 Dispatched & cancelled en route
Lansdowne CT

Engine 73 responded for a reported internal alarm in a residence. Engine 73 was cancelled while ENROUTE by fire dispatch.

03/07/2010 12:58:51 Excessive heat, scorch burns with no ignition
Longport CT

Units dispatched to a general fire alarm. Arrived to find nothing showing and nobody evacuated from a three story hotel. The responsible party on scene stated the alarm had been set off by cooking, and had been successfully reset. Fire personnel checked the room and determined there was no fire, only scorched food. Windows were opened in the hallway to allow natural ventilation of the light smoke that remained. No further service was needed, so personnel cleared the scene.

03/07/2010 14:17:36 Good intent call, Other
Hutson WY

ENGINE AND MEDIC ASSITED PERSON FROM FREEING FOOT FROM BICYCLE PERSON WAS UNINJURED

CSD Fire Department

Media Summary

All Applicable Records

03/07/2010 17:26:21 Dispatched & cancelled en route
Lockborne DR

M74 RESPONDED WITH TR7 FOR A REPORTED MEDICAL AID, AND WAS CANCELLED EN ROUTE.

03/07/2010 17:55:58 Good intent call, Other
Calvine RD
Vintage Park DR

ENGINE 76 SELF DISPATCHED TO A POSSIBLE ASSAULT VICTIM. UPON ARRIVAL RELEASED BY SACRAMENTO COUITY SHERRIF AT SCENE, NO MEDICAL NEED.

03/07/2010 18:49:56 Passenger vehicle fire
Klagge CT

Engine 75 dispatched to a vehicle fire. Arrived to find a fully involved passenger vehicle. Engine 75 personnel extinguished the fire. According to the owner, the vehicle failed to start after being washed. Another vehicle was used to jump start it, after which smoke appeared from underneath. An attempt to extinguish the fire was unsuccessful, and the car was soon well involved.

A flatbed tow truck was ordered upon request from the vehicle owner. A1 towing responded to the scene.

After cleaning up debris, no further service was needed and personnel cleared the scene.

03/07/2010 21:39:41 Good intent call, Other
Aviary Woods WY

ENGINE 76 DISPATCHED TO A REPORTED CHILD LOCKED IN A VEHICLE. UPON ARRIVAL FOUND A TOW COMPANY VEHICLE ON SCENE WHO HAD GAINED ENTRY PRIOR TO OUR ARRIVAL. NO MEDICAL NEED FOUND. ENGINE 76 RETURNED TO QUARTERS.

CSD Fire Department

Media Summary

All Applicable Records

03/08/2010 01:10:03 Assist invalid
Sharkey AV

Assist uninjured elderly man from the floor.

03/08/2010 10:10:39 False alarm or false call, Other
Renwick AV

Engine 75 and medic 71 responded to a reported medical alarm. Arrived to find resident in no distress stating the alarm was an accidental trip. The alarm company was contacted and the alarm was reset.

03/08/2010 12:09:05 Alarm system sounded due to malfunction
Laguna BL

Dispatched for a commercial internal alarm. Engine 74 arrived to find a alarm sounding do to a power outage in the area. Engine 74 reset the alarm and returned to service.

03/08/2010 12:10:54 False alarm or false call, Other
Laguna BL

TRUCK 74 ONSCENE WITH A REPORTED COMMERCIAL INTERNAL ALARM. TRUCK 74 CONFIRMED FALSE ALARM AND RESET THE SYSTEM. NO OTHER SERVICE REQUIRED.

03/08/2010 12:32:31 Building fire
Bowmont WY

Dispatched for a residential structure fire. Units arrived to find a exterior roof fire on wood shake shingles. Engine 74 forced entry to the front door and cleared the house with a primary search. There was a small residual fire in the attic due to shake shingles dropping in from the roof. The roof fire was extinguished and stripped of roofing materials. The attic was cleared and rechecked with the thermal imaging camera for any signs of hot materials. Salvaged was performed in the living area of the residence, a small vase was broken during moving of the TV and table.

CSD Fire Department

Media Summary

All Applicable Records

The residence was rechecked by truck 74 around 1630 hours. 9400 Bowmont checked clear for any hazards on the two hour recheck. Engine 74 will recheck the residence on 3/9/10 at approximately 0800.

03/08/2010 13:48:43 Good intent call, Other
I 5 HWY
LAGUNA BL

Engine 75 and medic 11 responded to a reported man down next to car. Arrived to find a 20's male standing by his truck with no medical emergency.

03/08/2010 15:16:41 Good intent call, Other
1st ST
F ST

Unit dispatched for a reported odor of natural gas. Arrived to find PGE working on the gas lines at this location. Spoke with PGE and confirmed that the odor was from their location. Unit returned to quarters.

03/08/2010 19:06:22 Unintentional transmission of alarm, Other
Lotus Pond WY

Engine 72 responded to an alarm sounding. The house was not occupied and locked. Engine 72 looked through the windows and the house appeared to be clear. Engine 72 checked with the neighbor and they contacted the homeowner. Homeowner came home and the house checked clear. The alarm system was reset.